

#248 THREADLOCKER STICK - LOCTITE #248 THREADLOCKER STICK 0.67 OZ

Semi-Solid Consistency Eliminates Drips, Prevents Waste

#248 THREADLOCKER STICK The LOCTITE® #248 Threadlocker Stick is a medium-strength, general-purpose adhesive designed to prevent loosening of threaded fasteners due to vibration. Its convenient stick form allows for precise application without dripping or mess, making it ideal for use on bolts, screws, and nuts in various firearms and gunsmithing applications. Key Features: Medium Strength: Secures fasteners while allowing disassembly with standard hand tools. Convenient Stick Form: Enables clean and targeted application without spills. Vibration Resistance: Maintains fastener integrity under dynamic conditions. Specifications: Container Size: 0.67 oz. Application: Suitable for a wide range of threaded fasteners in firearms maintenance and assembly. Incorporating the LOCTITE® #248 Threadlocker Stick into your gunsmithing toolkit ensures that threaded components remain secure during operation, enhancing the reliability and performance of your firearms.



Attributes

- Name: LOCTITE #248 THREADLOCKER STICK 0.67 OZ
- Manufacturer: LOCTITE
- Product no.: 532000004
- Mfr. No.: 462476
- Color: Blue
- Size: .67 oz
- Delivery weight: 0.045kg
- UPC: 079340370876

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for LOCTITE #248 Threadlocker Stick](#)
- [Svenska: Säkerhetsinstruktionsguide för LOCTITE #248 Threadlocker Stick](#)

Safety Instruction Guide for LOCTITE #248 Threadlocker Stick

Introduction

Welcome to the safety instruction guide for the LOCTITE® #248 Threadlocker Stick. This product is designed to provide a secure bond for threaded fasteners while allowing for disassembly with standard hand tools. It is essential to follow safety guidelines to ensure safe and effective use of this product.

General Safety Guidelines

- Always read and understand the label and safety data sheet (SDS) before using the product.
- Keep the product out of reach of children and pets.
- Use the product only for its intended purpose as specified in this guide.
- Store the product in a cool, dry place, away from direct sunlight and heat sources.
- Ensure proper ventilation when using the product to avoid inhalation of vapors.
- In case of accidental contact with skin or eyes, follow the emergency procedures outlined in the SDS.

Specific Safety Precautions for Use

- Avoid using the product near open flames or sparks, as it is flammable.
- Do not ingest the product. If swallowed, seek medical attention immediately.
- Use gloves and protective eyewear when applying the threadlocker to prevent skin and eye irritation.
- Do not apply to surfaces that will be in contact with food or drinking water.
- Ensure that surfaces are clean and dry before application to achieve optimal adhesion.

Instructions for Installation and Usage

1. Preparation:

- Clean the threaded surfaces to remove any dirt, oil, or old adhesive.
- Ensure that the surfaces are dry before application.

2. Application:

- Remove the cap from the LOCTITE® #248 Threadlocker Stick.
- Twist the bottom of the stick to expose the adhesive.
- Apply a thin, even layer of the threadlocker to the threads of the fastener.
- Avoid excessive application to prevent overflow during tightening.

3. Assembly:

- Immediately assemble the fasteners while the adhesive is still wet.
- Tighten the fasteners to the recommended torque specifications.

4. Curing:

- Allow the adhesive to cure for at least 24 hours before subjecting the fasteners to stress or vibration.
- Note that full strength may take longer to achieve under certain conditions.

Disposal Instructions

- Dispose of any unused product and empty containers in accordance with local regulations.
- Do not dispose of the product in household waste or down the drain.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the LOCTITE® #248 Threadlocker Stick, please refer to the product packaging for contact details and support resources.

By following these safety instructions, you can use the LOCTITE® #248 Threadlocker Stick effectively and safely. Your adherence to these guidelines helps ensure not only your safety but also the integrity of your applications.

Säkerhetsinstruktionsguide för LOCTITE #248 Threadlocker Stick

Introduktion

Välkommen till säkerhetsinstruktionsguiden för LOCTITE® #248 Threadlocker Stick. Denna produkt är utformad för att ge en säker bindning för gängade fästelement samtidigt som den möjliggör demontering med standard handverktyg. Det är viktigt att följa säkerhetsriktlinjerna för att säkerställa säker och effektiv användning av denna produkt.

Allmänna säkerhetsriktlinjer

- Läs alltid och förstå etiketten och säkerhetsdatabladet (SDS) innan du använder produkten.
- Förvara produkten utom räckhåll för barn och husdjur.
- Använd produkten endast för det avsedda syftet som anges i denna guide.
- Förvara produkten på en sval, torr plats, borta från direkt solljus och värmekällor.
- Säkerställ god ventilation när du använder produkten för att undvika inandning av ångor.
- Vid oavsiktlig kontakt med hud eller ögon, följ de nödfallsprocedurer som anges i SDS.

Specifika säkerhetsåtgärder för användning

- Undvik att använda produkten nära öppen eld eller gnistor, eftersom den är brandfarlig.
- Svälj inte produkten. Om den sväljs, sök medicinsk hjälp omedelbart.
- Använd handskar och skyddsglasögon vid applicering av threadlocker för att förhindra hud och ögonirritation.
- Applicera inte på ytor som kommer att vara i kontakt med mat eller dricksvatten.
- Säkerställ att ytorna är rena och torra innan applicering för att uppnå optimal vidhäftning.

Instruktioner för installation och användning

1. Förberedelse:

- Rengör de gängade ytorna för att ta bort smuts, olja eller gammal lim.
- Säkerställ att ytorna är torra innan applicering.

2. Applicering:

- Ta bort korken från LOCTITE® #248 Threadlocker Stick.
- Vrid botten av stiftet för att exponera limmet.
- Applicera ett tunt, jämnt lager av threadlocker på gängorna av fästelementet.
- Undvik överdriven applicering för att förhindra överflöd vid åtdragning.

3. Montering:

- Montera omedelbart fästelementen medan limmet fortfarande är vått.
- Åtdra fästelementen till de rekommenderade vridmomentsspecifikationerna.

4. Härdning:

- Låt limmet härdna i minst 24 timmar innan fästelementen utsätts för stress eller vibration.
- Observera att full styrka kan ta längre tid att uppnå under vissa förhållanden.

Avfallshanteringsinstruktioner

- Kasta bort eventuell oanvänd produkt och tomma behållare i enlighet med lokala föreskrifter.
- Kasta inte produkten i hushållsavfall eller ner i avloppet.
- Kontrollera med lokala avfallshanteringsmyndigheter för korrekta bortskaffningsmetoder.

Kontaktinformation för vidare support

För eventuella frågor eller bekymmer angående användningen av LOCTITE® #248 Threadlocker Stick, vänligen hänvisa till produktförpackningen för kontaktuppgifter och supportresurser.

Genom att följa dessa säkerhetsinstruktioner kan du använda LOCTITE® #248 Threadlocker Stick effektivt och säkert. Din efterlevnad av dessa riktlinjer hjälper till att säkerställa inte bara din säkerhet utan också integriteten hos dina applikationer.