

LSS-XL Gen 2 Carbine Stock Chassis System Lithgow 102

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [English: MDT LSSXL Gen 2 Carbine Stock Chassis System Safety Instruction Guide](#)

MDT LSSXL Gen 2 Carbine Stock Chassis System Safety Instruction Guide

Introduction

Thank you for choosing the MDT LSSXL Gen 2 Carbine Stock Chassis System for your Lithgow 102. This guide provides essential safety instructions and precautions to ensure safe and effective use of the product. Please read this document carefully before installation and usage.

General Safety Guidelines

To ensure the safety of all users, please adhere to the following guidelines:

- Always treat the chassis system as if it is loaded, even when it is not.
- Keep the chassis system out of reach of children and unauthorized users.
- Inspect the chassis system regularly for any signs of wear or damage.
- Do not modify the chassis system in any way that could compromise its safety or functionality.
- Use only compatible accessories and components as specified by the manufacturer.
- Store the chassis system in a secure location when not in use.

Specific Safety Precautions for Use

When using the MDT LSSXL Gen 2 Carbine Stock Chassis System, follow these specific precautions:

- Ensure that the firearm is unloaded before attaching or detaching the chassis.
- Always point the firearm in a safe direction when handling.
- Wear appropriate eye and ear protection when using the firearm mounted on the chassis.
- Be aware of your surroundings and ensure a safe shooting environment.
- Avoid using the chassis system in adverse weather conditions that could affect performance.
- Follow all local laws and regulations regarding firearm usage and storage.

Instructions for Installation and Usage

To ensure proper installation and safe usage of the MDT LSSXL Gen 2 Carbine Stock Chassis System, please follow these instructions:

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing stock from the firearm according to the manufacturer's instructions.
- Align the MDT LSSXL chassis with the firearm's receiver.
- Secure the chassis to the receiver using the provided screws and tools. Ensure all screws are tightened properly.
- Attach any accessories or components as needed, following the manufacturer's guidelines.

2. Usage:

- Once installed, adjust the stock length and cheek riser for a comfortable fit.
- Practice proper shooting stance and grip while using the chassis system.
- Regularly check the tightness of all screws and components during use to ensure safety and performance.

Disposal Instructions

When disposing of the MDT LSSXL Gen 2 Carbine Stock Chassis System, follow these guidelines:

- Do not dispose of the chassis system in regular household waste.
- Check local regulations for proper disposal methods of firearm accessories.
- If the chassis system is damaged or no longer usable, consider contacting a local recycling center that accepts metal and plastic components.

Contact Information for Further Support

For any questions or concerns regarding the MDT LSSXL Gen 2 Carbine Stock Chassis System, please refer to the manufacturer's website or customer support resources. Always ensure you have the latest safety information and updates.

Conclusion

Your safety is paramount when using the MDT LSSXL Gen 2 Carbine Stock Chassis System. By following these guidelines and instructions, you can help ensure a safe and enjoyable experience. Remember to stay informed about product recalls and safety updates through the EU Safety Gate platform. Thank you for your attention to safety.